

Specimen No: MW-35845-1C
Pet/Owner: Ty / Ropel, Jacque
Services: 2T
Serial No: 224626
Expires: 05/15/2010

Veterinarian	Account Number
GREENFIELD	
VETERINARY MEDICAL	961
ASSOCIATES	
6210 S. INDUSTRIAL COURT	
GREENDALE, WI 53129 US	

Set 1 Groups: GBE TBM WCK TCF WDF WGL GJO TOM TPH TPI TSM GTI
Set 2 Groups: MHO SCM SMM SFL SMO MPM MRN STP

For double treatment sets, Set 1 and Set 2 should be given concurrently, but with separate needles and injection sites.

Vial	Injection Number	Dose (cc)	Days Between Injections	Date of Injection/Comments
<b style="color: green;">GREEN CAP Vial A 1:3000 wt/vol (min 21 days / max 28 days)	1	0.10	3-4	
	2	0.20	3-4	
	3	0.40	3-4	
	4	0.60	3-4	
	5	0.80	3-4	
	6	0.95	3-4	
	7	1.00	3-4	
<b style="color: blue;">BLUE CAP Vial B 1:300 wt/vol (min 32 days / max 56 days)	8	0.10	4-7	
	9	0.20	4-7	
	10	0.30	4-7	
	11	0.45	4-7	
	12	0.60	4-7	
	13	0.75	4-7	
	14	0.90	4-7	
	15	0.95	4-7	
<b style="color: red;">RED CAP Vial C 1:60 wt/vol (min 197 days / max 219 days) * Contact your veterinarian to order your treatment refill at this time.	16	0.05	7-8	
	17	0.15	7-8	
	18	0.25	7-8	
	19	0.40	7-8	
	20	0.55	7-8	
	21	0.70	7-8	
	22	0.85	14-21	
	23	1.00	21-30	
	24	1.00	30	
	25	1.00	30	
	26 *	1.00	30	
	27	1.00	30	

Before administering the first injection, carefully read the enclosed booklet "Immunotherapy: A Guide to Treating Your Pet's Allergies" and the detailed instructions on the back side of this page.

To increase the comfort level for your pet, a weight-appropriate dose of oral antihistamine should be given 45-60 minutes prior to each allergy injection.

During peak allergy season, more frequent injections may be required, thereby reducing the number of days and/or weeks between injections.